EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1784	705/27.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:14
S2	10534	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall NEAR3 report)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:17
S3	137	S2 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:17
S4	10534	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall NEAR3 report) AND (graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:18
S5	137	S4 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:18
S6	2064	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall NEAR3 report) AND (graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:19

S7	39	S6 AND S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 16:19
S8	2064	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall NEAR3 report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 10:33
S9	2068	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall NEAR3 report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (database) AND (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 15:58
S10	1790	705/27.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 15:58
S11	39	S9 AND S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:00
S12	2	"5878400".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:00

S13	2	"5224034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:00
S14	2	"5053957".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:00
S15	4	"3806711".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:01
S16	2	"5461708".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:01
S17	2	"6320586".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:02
S18	2	"5740448".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:02
S19	2	"5689287".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:02

EAST Search History

S20	2	"5670984".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:02
S21	2	"6812926".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03
S22	2	"6785664".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03
S23	2	"6678695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03
S24	2	"6553350".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03
S25	2	"5870717".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03
S26	2	"5808894".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:03

EAST Search History

S27	2	"5758327".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:04
S28	2	"5710887".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:04
S29	2	"20020156695".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:04
S30	2	"20020042782".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:05
S31	2	"20020032610".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:06
S32	413	marais.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/08 16:06

EAST Search History

S33	367	(price) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined ADJ time ADJ period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall ADJ report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 10:37
S34	367	(price) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined ADJ time ADJ period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall ADJ report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 10:38
S35	367	(price) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined ADJ time ADJ period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall ADJ report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (intermediate OR middle OR in$between)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:00
S36	367	(price) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined ADJ time ADJ period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall ADJ report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (intermediate OR middle OR in$between) AND (element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 10:39

EAST Search History

S37	1790	705/27.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 10:39
S38	367	(price) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined ADJ time ADJ period) AND (start OR beginning OR initial OR first) OR (end OR final OR last) AND (product) AND (waterfall ADJ report) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (intermediate OR middle OR in$between) AND (element) AND S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:27
S49	2471	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:05
S51	44	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (waterfall)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:34
S52	2	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (element) AND (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:05

EAST Search History

S53	1	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (waterfall) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (element) AND (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:40
S54	1	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (waterfall) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (element) AND (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:58
S56	1	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (waterfall) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (element) AND (data) AND (average)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 11:41

S57	1	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (invoice) AND (discount) AND (bonus) AND (point) AND (transaction) AND (element) AND (data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:00
S60	1461	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (data) AND (transaction) AND (point)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:06
S61	1322	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (data) AND (transaction) AND (point) AND (element)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:07
S63	321	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (data) AND (transaction) AND (point) AND (element) AND (invoice)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:08

S64	181	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (data) AND (transaction) AND (point) AND (element) AND (invoice) AND (discount OR bonus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:12
S65	181	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph) AND (data) AND (transaction) AND (point) AND (element) AND (invoice) AND (discount OR bonus) AND (customer OR consumer OR purchaser OR buyer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:13
S66	48	(price OR sale OR cost) NEAR3 (adjustment OR change OR increase OR decrease OR fluctuation OR alter$5) AND (database) AND (predetermined NEAR3 time NEAR3 period) AND (start OR beginning OR initial OR first OR end OR final OR last OR intermediate OR middle OR in$between) AND (product) AND (graph OR report OR chart OR diagram) AND (data) AND (transaction) AND (point) AND (element) AND (invoice) AND (discount OR bonus) AND (customer OR consumer OR purchaser OR buyer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/09 12:13